

Modeling Teamwork in Supervisory Control of Multiple Robots

Fei Gao, *Member, IEEE*, M.L. Cummings, *Senior Member, IEEE*, and Erin T. Solovey, *Member, IEEE*

Abstract— Simultaneously controlling multiple robots requires multiple operators working together as a team. Determining how to construct the team to promote performance and reduce workload are critical questions that must be answered in these settings. To this end, we investigated the effect of team structure and scheduling notification on operators’ performance, subjective workload, work processes and communication using a human-in-the-loop experiment. In an urban search and rescue setting, we compared a pooled condition, in which team members shared control of 24 robots, with a sector condition, in which each team member controlled half of all the robots. For scheduling notification, an alert was given when the operator spent too much time on one robot and either suggested or forced the operator to change to another robot. A discrete-event simulation model was constructed to model the teamwork in supervisory control of multiple robots. The model was significantly improved by the inclusion of a behavior termed as “backup”. Backup behavior is a critical coordination mechanism often observed in teams, but rarely explicitly modeled. Pooled teams showed an advantage when performing backup behaviors in both the experiment and the model. However, other factors must be considered when making a decision on what team structure to use.

Index Terms—Backup behavior, teamwork, discrete-event simulation, human supervisory control, robots

I. INTRODUCTION

ADVANCES in technology have enabled increasingly sophisticated automated systems to be applied to a number of fields including manufacturing, aviation, command and control, search and rescue, air traffic control and health care. Unlike autonomous systems designed primarily to take humans out of the loop, many future systems will support people and agents working together. Despite the benefits of such automation technologies, challenges exist for the successful integration of human operator and automation technologies.

In recent years, there is an increasing interest in enabling one operator controlling multiple agents with higher levels of autonomy. By releasing the operators from manual control,

enhanced autonomy enables operators to work with multiple agents and perform a more diverse set of tasks requiring monitoring, coordination, and complex decision-making. However, the required cognitive load for working with multiple agents could easily exceed the capacity of a single operator, even with high levels of automation. Teams of humans are increasingly called upon to perform complex cognitive tasks that are less efficiently done or impossible to do by an individual. Operators in such teams typically have to communicate in order to make effective decisions including the distribution or assignment of tasks, updating of status, seeking help, maintaining coordination, and exchanging information. Although teamwork may impose extra workload related to coordination and communication, teams have the potential of offering greater adaptability, productivity, and creativity than any one individual can offer [1].

Backup behavior is a critical coordination mechanism that teams employ to reduce the risk of errors and maintain performance. Backup behavior refers to “the extent to which team members help each other perform their roles” [2]. Team members may provide different forms of back up, such as assisting the teammate who is behind in his or her work in performing a task, completing a task for the team member when an overload is detected, helping a fellow team member correct performance-related mistakes, and providing resources or supplies [2, 3].

Despite the importance of backup behavior, limited research has been devoted to quantitatively investigating its impact on overall team performance. In this study, we used discrete-event simulation (DES) to model the teamwork of operators during supervisory control of multiple robots, predict their performance and explore the role of backup behavior in team coordination. It is the first quantitative model of backup behavior.

DES has been used to model a single operator’s supervisory control of multiple robots in previous research, where the robots requesting assistance are thought of as customers waiting in queues and the operators are thought of as servers [4-6]. Many of the interesting teamwork problems cannot be solved analytically using queuing theory since some of the strict assumptions necessary for closed-form solutions do not hold. However, it is possible to use DES to overcome the limitations of analytical models. More importantly, DES modeling has the advantage of capturing the process and dynamics of teamwork, which is lacking in previous research. With simulation models, we can test and compare proposed

This work was supported in part by the Air Force Office of Scientific Research and the Office of Naval Research.

Fei Gao is with Massachusetts Institute of Technology, Cambridge, MA 02139 USA (e-mail: feigao@mit.edu)

Prof. M.L. Cummings is with Duke University, Durham, NC 27708 USA. (e-mail: m.cummings@duke.edu)

Prof. E.T. Solovey is with Drexel University, Philadelphia, PA 19104 USA (e-mail: erin@cs.drexel.edu)

changes to the current system, or new designs of the system at a significantly lower cost than testing directly in real world.

This study modeled the teamwork in a dyad during supervisory control of multiple robots. Since the operators were not differentiated by role or task, the term team was not used in the traditional sense [7]. This paper is organized as follows. Section II reviews previous research on teamwork and backup behavior. Section III introduces the key model constructs. Section IV presents the methodology, main results and observations from an experiment of teamwork during supervisory control of multiple robots. Section V describes the DES model built using the experiment data, as well as the comparison between model outputs and experiment results. Section VI explores the role of backup behavior using the DES model by varying task uncertainty, operator capability and the level of individual effort. Section VII contains a discussion of the results and conclusions.

II. BACKGROUND

A. Backup Behavior

Backup behavior is critical to the effectiveness of teamwork. It is positively related to team performance when teams have a member with a large amount of workload [2]. Backup behavior can improve performance outcomes by redistributing the workload within the team. More importantly, backup behavior affects team processes to allow greater team adaptability in changing situations and environments. On the other hand, some research has found that backup behavior can be harmful when backup providers neglect their own tasks, especially when workload is evenly distributed [8].

In the behavioral markers of teamwork breakdowns proposed by Wilson et al. [9], backup behavior is identified through three aspects: 1) Did team members correct other team members' errors? 2) Did team members provide and request assistance when needed? 3) Did team members recognize when one performed exceptionally well? In this study, we focused explicitly on the first two aspects of backup behavior.

Backup behavior is closely related to other factors affecting teamwork. First, whether team members can shift the workload within the team is largely determined by the team structure. Second, backup behavior usually happens together with mutual performance monitoring and communication. When team members detect an error made by their teammates through mutual performance monitoring and communicate about it, backup behavior can then correct the errors. These are discussed in the later sections.

B. Team Structure

Team structure is an important factor hypothesized to affect team effectiveness [10]. One aspect of team structure is the "manner in which the task components are distributed among team members" [11]. How the team is structured is closely related to communication, coordination and team performance.

The team structure that is suitable for a specific scenario largely depends on the task characteristics and resources available [12]. For a team of operators working together with

multiple robots, two possible ways to organize the robots are as Sectors or as a Shared Pool [13]. In the Sector condition, each operator exclusively controls a portion of all the robots. In the Shared Pool condition, operators share the control of all the robots and service them as needed. Sector assignment, which is how modern day air traffic control is architected, can reduce the number of robots the operator must monitor and control. However, the Shared Pool condition offers a more flexible scheduling advantage of load balancing since any operator in the team can service any robot as needed, which is one important aspect of backup behavior. Previous research by Lewis and Wang et al. [10] investigated the effect of team structure in a Urban Search and Rescue (USAR) setting. Although there was no significant difference on performance, teams that shared the control of all robots were found to have slightly lower workload. In addition, for monitoring applications, the Shared Pool offers a redundant observer advantage, such that a second operator with partially overlapping perceptual judgments may detect problems missed by the first operator.

C. Mutual Performance Monitoring

Mutual performance monitoring is the ability to develop common understandings of the team environment and apply appropriate task strategies to accurately monitor teammate performance [3]. It usually involves behaviors such as identifying mistakes and lapses in other team members' actions, and providing feedback regarding team member actions to facilitate self-correction. Research has shown that individuals may not be aware of their own performance deficiencies [14, 15]. Salas et al. [3] proposed that it is the information gathered through mutual performance monitoring that affects team performance by identifying errors or lapses, and this information, expressed through communication and backup behavior, boosts the team performance.

D. Team Communication

Mutual performance monitoring and backup behavior are usually facilitated by communication within the team [3]. Research about group decision making [16] shows that in effective decision-making groups, communication serves both promotive functions that facilitate sound reasoning and critical thinking as well as counteractive functions that prevent a group from making errors. Communication relates to building an accurate understanding of team members' needs, responsibilities, and expected actions [12], which is the foundation for mutual performance monitoring. In addition, when an error or overload is detected, communication is often required for information exchange. Infrequent communication may not supply enough information to achieve desired levels of performance.

On the other hand, communication takes time and carries a coordination cost. Research has investigated the negative effects of communication in terms of increased workload and decreased performance [12]. It contributes a part of process loss, which means team performance is lower than the combination of individual performance due to the extra work

on team coordination. MacMillan et al. [12] investigated the cost of coordination and communication in a team of six persons performing a joint task force mission of air-based and sea-based operations. They concluded that a lower need for coordination and a lower communication rate were associated with better performance.

There is no simple answer to how much communication is appropriate, because it is impacted by factors such as task characteristics, team structure, level of workload, etc [17, 18]. While frequency of communication about task and team rapport relates to superior team performance, excessive word usage has a negative association with team performance [19]. From the aspect of supporting backup behavior, the effectiveness of communication depends on whether the communication is needed at the time. Communication causes backup providers to dedicate resources on it and thereby reduces the amount of resources that are available for other tasks [8]. If the workload is evenly distributed, spending too much effort to communicate and provide backup could be harmful. If the workload is not evenly distributed, the benefits of backup behavior may outweigh the losses resulted from communication. To achieve effective team performance, teams should communicate adequately and effectively, using backup when needed. Conversely, teams should communicate relatively little when backup is not needed.

III. DES MODEL OF MULTI-HUMAN MULTI-AGENT TEAM

The key constructs of DES models are events, arrival processes, services processes, and queuing network structure. The DES model for this effort was constructed under the assumption that operators are acting in a supervisory control mode and the robots in the team are highly autonomous. Robots should function independently of the human most of the time, and require human interaction only intermittently. Operators function as servers in the queuing model and serve the events generated from the robots. The overall framework is shown in Fig.1.




Fig. 1. Overview of the DES Model

The events generated from the robots enter the queue and wait to be served when the operators are busy. Operators

select the next event to be served from the queue. This task assignment process is affected by the team structure of operators. After the events are served, the model generates performance outputs, which can be compared with empirical data. Communication between the teammates is modeled as two parts. Baseline communication happens with a random interarrival time. The other part of communication happens during task assignment and error correction.

A. Arrival Process of Robot-Generated Events

Robot-generated events arise due to the nature of the mission and robot capability [5], such as detecting a victim or getting stuck and needing operator intervention. An event arrives to the system and stays in a queue for a time T . An event is then either served by the operator or exits the queue without being served if it waits longer than T . Unlike independent arrival processes in many queuing systems, the arrival of robot-generated events usually depends on the system status. To model the dependent arrival process, we limit the number of active events in the system associated with each event stream to be one at any time. In other words, a new event is generated from this stream only if there is no event from the stream in the queue or being served. The interarrival times of events are between the completion of service/renegeing from the queue and the arrival of the next event. These interarrival times are described by a random variable Λ_i , where i stands for event stream i .

Sometimes, events generated are not identical. In this situation, a random variable C following a multinomial distribution is used to describe the categories of events. New events are generated according to the interarrival time Λ_i and assigned an event category from C .

B. Service Process of a Single Operator

Each event is served for a service time described by random variable M . The service process typically involves several steps. In this case, the service time $M = \mu_1 + \mu_2 + \dots + \mu_n$, with μ_i being the time required for step i . The time an operator spends working on an event is associated with an opportunity cost of missing other important events waiting in the queue. Limiting the service time on one event may result in an increase on the number of tasks processed. Although the error rate may increase, it is possible that the overall mission performance is improved. This could be modeled by making the event exit from the server when the time limit is reached. In this situation, an output from processing this event may not be generated due to the shortened service time.

The queuing policy determines the order in which multiple events that are waiting in the queue are served. Several common ways to pull an event from a queue include: First-Come-First-Serve, Last-Come-First-Serve and Random Selection. They can be used in the DES model according to characteristics of different task scenarios.

C. Team Structure and the Shift of Workload

Queuing networks are systems with multiple queues and service centers that are connected by customer routing. By connecting queues and service centers in different ways,

various team structures can be modeled. For teams organized in the Sector condition, each operator has his or her own queue. Robot-generated events enter the queue of one operator according to the task assignment, which is determined before the start of mission. Since operators only pull events from their own queue to serve, shifting of workload is impossible. For teams organized in the Shared Pool condition, events generated from the robots all enter the same queue, and operators pull events from this single common queue to serve. In this case, shifting of workload is possible.

In the literature of queuing theory, whether to have a single common queue or multiple separate queues has been investigated. For a queuing system of s servers with Poisson arrival process and Exponential distributed service time, comparison has been made between having s queues and one single common queue based on the steady-state average waiting time. It was proved that, with the same arrival rate and service rate, the system with multiple servers and a single common queue has a shorter average waiting time than assigning a separate queue to each server [20]. The main reason for this advantage is the shifting of workload between multiple servers enabled by the single queue. Pooling multiple queues into a single queue may not always be beneficial [21-23]. In operator teams that supervise multiple robots, factors such as differences in individual capability, uncertainty in task load and individual level of effort may impact the choice of team structure.

D. Mutual Performance Monitoring and Communication

In our DES model, mutual performance monitoring is modeled as a higher probability of correcting an error when there is communication. With communication, an operator is able to correct his teammate's errors, in addition to his own errors. However, as discussed previously, communication has been shown to have both a positive and negative influence on team performance.

We modeled communication by separating its impact into positive and negative aspects. Theoretically, performance improves when positive impact outweighs the negative impact and vice versa. From the negative aspect, communication time is modeled as process loss. When there is communication during the service process, the service time is extended by the duration of communication. If the communication is too often or too long, number of services completed within a certain time is decreased. From the positive aspect, the benefit of communication is modeled together with mutual performance monitoring. When an error is detected, it is corrected with a probability $P(\text{Correction}) = p$ without communication. If a communication event happened at the time, the probability is increased so that $P(\text{Correction}) = p + p'$.

IV. MULTI-HUMAN MULTI-ROBOT TEAM EXPERIMENT

This experiment investigated the effect of team structure and scheduling notification on participants' team performance, workload and communication in an Urban Search and Rescue task. Participants supervised multiple simulated robots, manipulating and viewing the imagery the robots provided in

order to detect and mark the locations of victims. Empirical data were collected to obtain insight into teamwork during supervisory control of multiple robots and support the development of a simulation model.

A. Participants

The study, IRB approved, adhered to ethical guidelines for the treatment of human participants. A total of 48 participants, 19-47 years old, participated in the experiment. The average age was 26.6 years, with a standard deviation (SD) of 5.5. Among them, 19 were female and 29 were male. Thirty-three of the participants were undergraduate or graduate students, and 15 had other occupations. Twenty-two of the participants did not play video games regularly. The average time playing video game per week for the remaining 26 participants was 4.1 hours (SD = 4.9). The correlation between hours spent on video games and average individual performance was not significant ($r = 0.129$, $p = 0.354$). Of all 24 teams formed by the 48 participants, team members in four teams knew each other before the experiment. The other 20 teams were formed by strangers.

B. Independent Variables

A 2 X 3 mixed design was used to evaluate team structure (2 levels) and schedule notification (3 levels). Team structure was a between-subject variable with 24 participants assigned to one of the two types of team structure:

--In *Sector (S)* teams, each participant controlled half of all the robots, for a total of 12 robots each. Locations of their teammates' robots were shown on the map, but video feed from their teammates' robots could not be seen.

--In *Pool (P)* teams, two participants shared the control of all the robots. They were able to see the video feed of all robots and control any robot not under the control of a teammate.

The level of interdependence was not high in both team structures. Independent works of team members were combined to represent team output [24]. However, *Pool* teams allowed more coordination and communication between the team members comparing to *Sector* teams.

The second scheduling variable evaluated the utility of a cue indicating that attention should be switched to a different robot. This variable is of interest because previous work in automated visual search task allocation for single operator-multiple unmanned vehicle environment has shown that automated scheduling notification can improve operator performance in terms of probability of detection for overall mission and decrease workload by influencing switching times [22]. This form of scheduling notification was hypothesized to be beneficial also in the context of team scenarios, where resources were distributed across operators, who could benefit from recommendations for when to switch to new search tasks. For this experiment, scheduling notification was employed that issued text notification layered over the video panel and a beeping sound at an appropriate time to cue the participant to interrupt the current search pattern for one robot and switch to a different robot.

Each participant completed one session with each level of

the scheduling notification. The order these three levels were experienced was counterbalanced across participants. The three levels of scheduling notification were:

--*Off* condition, no cue was administered. No decision support was provided.

--*Suggested* condition gave a text notification on the interface with a beeping sound when the participant spent more than 30 seconds on a robot. Participants were trained that the cue signaled that attention should be switched to a different robot. However, this cue can also be ignored.

--*Enforced* condition also gave the cue when the participant spent more than 30 seconds on the same robot, but also, after another 5 seconds had elapsed with the same robot, automatically switched to another randomly selected robot.

Thirty seconds was chosen as the threshold criteria based on a previous study [10, 25, 26]. In previous studies on visual search tasks [25], the possibility of finding a target was shown to decrease as more time was spent on the visual search task. The probability was estimated to be 0.8 for 26 seconds spent on searching, and then declined. In another experiment for USAR tasks [10], the mean time from a robot being selected to a victim being marked under autonomous control was approximately 35 seconds. We selected 30 seconds as the threshold so that the participant was given a reasonable amount of time to finish the task if a victim was successfully located and yet was prevented from spending too much time on a low probability search task if the participant failed to locate the victim. This threshold was validated in pilot tests as well.

C. Testbed

USARSim, a robotic simulation performing Urban Search and Rescue tasks [27], was used to provide the underlying simulation for the testbed. MrCS (Multi-robot Control System), a multi-robot communications and control infrastructure with an accompanying user interface was used as the control interface. MrCS provided facilities for starting

and controlling robots in the simulation, displaying camera and laser range finder output, and supporting inter-robot communication through Machinetta, a distributed multi-agent system developed at Carnegie Mellon University [28].




Fig. 2. Map based on Occupancy Grid

In MrCS, each robot was capable of updating a map, planning its routing and sending video feed to participants. An occupancy grid was used to represent the joint robot team knowledge of the environment and available information about the planned paths of other robots, as shown in Fig. 2. Possible locations were generated and filtered based on the expected information gain for being at that location. Edges were generated between locations if there was a sufficiently high possibility to move between the locations. A branch-and-bound search was performed across the network of possible locations and edges for the path that maximized the expected information gain. Plans were allowed to backtrack with no additional value added for visiting a location multiple times. When a robot finished planning, it shared its planned path with some nearby robots to allow them to both avoid collisions and search different areas.

MrCS was displayed on a dual display computer as shown in Fig. 3. The robot camera list on the left screen shows thumbnails of camera feeds. Video panel shows a video feed of interest. The teleoperation panel allows teleoperation and camera pan and tilt. The right shows the current area map with the positions of robots, and allows participants to mark the




Fig. 3. Interface for Controlling Robots

tion of victims.

In this experiment, robots were started automatically in different regions and explored the environment based on an autonomous path planner. The participants' tasks were to identify as many victims as possible and mark their locations on a map. When a victim appeared in the camera of a robot and was detected by the participant, he or she could select a robot either from the robot camera list or by clicking the icon of the robot on the map. When a robot was selected, the thumbnail of its camera was highlighted with a thick black border, the video feed from its camera was shown in the video panel, and its field of laser was highlighted on the map. The participant could stop the selected robot and move the robot manually using the teleoperation panel to bring the victim back into the camera view or fine tune the robot's position if necessary. The participant could then double click on the map to mark the position of this victim.

If the participant wanted to delete the mark, he or she clicked the mark and pressed the Del button on the keyboard. When no robot was under direct control, the participant continued monitoring all the robots while exploring the environment until a new victim in a camera view was noticed. Most of the time robots navigated using autonomous path planning by default, and the participant only needed to monitor the thumbnails of video feeds. However, the participant could also choose to manually control the robots using the teleoperation panel to send them to a specific unexplored place.

The team members were located in the same room, each with one display station. The stations were located so that it was difficult to view the teammates' display in detail, although quick glances were allowed. For *Pool* teams, participants could see video feeds and locations of all robots. The status of the robot was shown on top of each thumbnail of camera view, as highlighted in Fig. 3.

The default status was AUTONOMOUS, which means the robot was navigating automatically. When one of the team members was teleoperating the robot, its status was changed to TELEOP on both team members' display. As a result, the other team member would know that this robot was controlled by his or her teammate. Conflict may happen when two operators tried to teleoperate the same robot, which then required verbal communication between team members. In *Sector* teams, video feeds and locations of 12 robots were shown on the display. In both team structure conditions, participants could see their marks and their teammates' on the map in different shades of red. Participants could communicate with their teammates verbally with no restrictions.

Scheduling notification was administered by layering text on top of the video feed in the video panel together with a beeping sound generated by repeating the Windows system default beep sound for five seconds. In *Off* condition, there was no scheduling notification. In *Suggested* condition, participants could choose to follow the notification and move on to a new robot, or to ignore it and stay with the current robot. If ignored, the text and the beeping sound lasted for five

seconds and then disappeared. No more notification would be administrated afterwards. For the *Enforced* condition, the system would switch to another randomly selected robot five seconds after the original notification. Whenever a new robot was selected, either by the participant or the system, the previous robot would continue to navigate using autonomous path planning. The new robot selected was in autonomous mode by default. The autonomous path planning would stop only if the participants chose to teleoperate.

D. Procedure

The experiment began with a 15-minute training session prior to three 25-minute test sessions. A training session allowed the participants to practice the operation of GUI, especially teleoperation. Enforced scheduling notification was used during this training session because it was the most complex one among three conditions. No training for communication strategy was provided. Participants were tested in groups of two in the same room. Each participant controlled either 12 (*Sector*) or all 24 (*Pool*) robots, depending on their team structure assignment. Each pair of participants performed all three scheduling notification conditions. The three conditions were randomized and counterbalanced to limit any learning effect. Audio and screen recordings were collected during the experiment.

E. Dependent Variables

Dependent variables included task performance metrics, operation measures, communication as a team measure, and subjective workload. All the dependent variables are summarized in Table I, along with their definitions.

TABLE I
DEPENDENT VARIABLES

Category	Dependent Variables
Task performance metrics	Found: number of victims marked in the correct position Error: number of marks in the wrong position Deletes: number of marks deleted Missed: number of victims that appeared in the camera but were not marked
Operation Measures	Teleoperation duration: length of teleoperation period before marking victim or robot selection Teleoperation frequency: number of teleoperations Total teleoperation time: total amount of time spent on teleoperation Display-to-mark time: time from victim appearing in the camera to being marked Select-to-mark time: time from robot selection to victim being marked
Team Measure: Communication	Communication time: total time spent communicating with team member
Workload	NASA-TLX rating

The criterion for a successfully marked victim was that the position of the mark was within one meter of the true position of the victim, which was the same criterion as in the study of Lewis et al. [10]. In order to find the time when a victim appeared in the camera, we drew the visible areas of all victims using ray tracing. If the robot was in the visible area for a victim, and its field of view contained the victim, this victim was declared visible on this robot's camera. By

calculating these quantities, we obtained the number of victims missed, and recorded the display-to-mark time.

Sometimes, participants deleted marks when a victim was not marked accurately or was marked more than once. Participants' actions of marking, deleting as well as teleoperation were recorded in the system log, and used to calculate the dependent variables. Total communication time, average duration and frequency were measured in both team structures. Subjective workload ratings were obtained through the NASA-TLX [29], which is a rating along six sub dimensions. The dependent variables were analyzed using either analysis of variance (ANOVA) or nonparametric tests if they did not satisfy the ANOVA assumptions of normality and/or homogeneity.

F. Results

This section introduces the main results of the experiment, including team performance and evidence of backup behavior, as well as communication and error correction. Detailed results on the experiment can be found in a previous paper [30]. This paper extends the previous one by building a DES model based on the experiment data and exploring several scenarios using the model, presented in section III, V and VI. Data from the training session was not included in the analyses. A significance level of 0.05 was used for the analyses.

1) Task Performance

Team structure had no significant impact on task performance in terms of number of victims found, number of errors, and number of victims missed. For number of deletes, *Pool* teams (Mean = 8.3, SD = 5.49) tended to delete more than *Sector* teams (Mean = 6.0, SD = 3.02), although the effect of team structure was not significant ($Z = -1.838$, $p = 0.066$, $r = -0.217$). This indicates that *Pool* teams corrected themselves more often, because the marks were in wrong locations or duplicated marks were made for the same victim.

Team structure had a significant effect on the total time of teleoperation ($F(1, 138) = 10.68$, $p = 0.001$, $\eta_p^2 = 0.072$). *Sector* teams (Mean = 1166.7, SD = 194.20) spent more time on teleoperation than *Pool* teams (Mean = 1055.4, SD = 236.66) on average. No significant effect was found for teleoperation duration, teleoperation frequency, display-to-mark time or select-to-mark time. The interaction effect of team structure and scheduling notification was not significant on any of the dependent variables.

Scheduling notification did not improve or decrease performance, but had an influence on working process. Scheduling notification had a significant effect on duration ($F(2,138) = 21.64$, $p < 0.001$, $\eta_p^2 = 0.239$) and frequency of teleoperation ($F(2,138) = 16.62$, $p < 0.001$, $\eta_p^2 = 0.194$), due to the way scheduling notification was implemented. With scheduling notification, the duration of teleoperation dropped and the frequency increased. The *Enforced* condition resulted in the shortest duration and highest frequency of teleoperation, followed by the *Suggested* and *Off* conditions. The effect of scheduling notification on total time of teleoperation was not significant ($F(2,138) = 2.61$, $p = 0.078$, $\eta_p^2 = 0.036$).

Scheduling notification helped the participants to notice and mark victims faster when they appeared in the camera, which is important for such a time-critical task environment. In *Sector* teams, scheduling notification had a significant effect on mean display-to-mark time ($F(2, 69) = 3.91$, $p = 0.024$, $\eta_p^2 = 0.102$). The teams in *Suggested* condition had the lowest mean display-to-mark time (Mean = 88.0s, SD = 58.9s), followed by *Off* condition (Mean = 103.2s, SD = 59.1s) and *Enforced* condition (Mean = 128.6s, SD = 70.8s). The increase in time under the *Enforced* condition may be due to the interruption in the current operation and extra time to regain situation awareness.

In *Pool* teams, the effect of scheduling notification was insignificant, suggesting that display-to-mark time was affected by team process. One team member could start working on a robot with a victim in view when the other was busy. For select-to-mark time, scheduling notification was found to have a significant effect ($F(2, 138) = 24.77$, $p < 0.001$, $\eta_p^2 = 0.264$), shortening the time to finish a task.

2) Evidence of Backup Behavior

Subjective workload using NASA-TLX was analyzed using nonparametric tests. Box plots of subjective workload under different conditions are shown in Fig. 4. Mann-Whitney tests for the effect of team structure showed a significant effect on workload ($Z = 2.036$, $p = 0.042$, $r = 0.170$). *Pool* teams demonstrated lower workload on average than *Sector* teams. When analyzing each dimension of workload (mental demand, physical demand, temporal demand, performance, effort and frustration) separately, *Pool* teams had a significant lower rating on effort ($Z = 2.148$, $p = 0.032$, $r = 0.179$) and frustration ($Z = 2.799$, $p = 0.005$, $r = 0.233$).




Fig. 4. Minimum and Maximum Workload under the Two Team Structures

This was consistent with a previous study [10], in which a slight advantage in workload was observed favoring the *Pool* structure. One reason may be that in the *Sector* teams, there was no opportunity for backup. Furthermore, in *Pool* teams, it was possible to balance the workload according to operators' individual abilities. When one operator was better at finding victims, it was possible he/she could share the burden of the less skilled teammate and did not report excessive workload. We analyzed the maximum, minimum and averaged workload of each team based on two team members' individual workload ratings. This showed that maximum workload of the team members in *Pool* teams was significantly lower than in *Sector* teams ($F(1, 68) = 6.6$, $p = 0.012$, $\eta_p^2 = 0.089$), while minimum workload did not differ significantly, as shown in

Fig. 4. This result, combined with the significantly larger difference on individual performance (number of victims found) in *Pool* teams ($F(1,68) = 4.72, p = 0.033, \eta_p^2 = 0.065$) as shown in Fig. 5, suggests workload balancing processes or backup behaviors in *Pool* teams.




Fig. 5. Difference on Individual Performance within Two Team Structures

3) Communication and Error Correction

During the experiment, participants were allowed to talk with each other. In such a high workload scenario, almost all the communication was mission-related. Some teams discussed what strategies to use when exploring the area, updated their status with the teammate, requested their teammates' status or shared experiences about robot control. In contrast, some teams did not communicate at all. An analysis of the time (seconds) spent on communication showed that team structure had a significant effect ($F(1, 66) = 12.53, p < 0.001, \eta_p^2 = 0.160$). *Pool* teams (Mean = 177.7, SD = 198.74) expectedly communicated more than *Sector* teams (Mean = 53.44, SD = 80.97), on average.

The four teams with members that knew each other before the experiment tended to communicate more comparing to other teams. The effect of team structure on communication time was still significant when this factor was controlled. *Pool* teams also had significantly longer communication duration (Mean = 5.80, SD = 5.04, $F(1,66) = 5.85, p = 0.018, \eta_p^2 = 0.081$) than *Sector* teams (Mean = 3.37, SD = 3.00), and higher frequency (Mean = 31.17, SD = 41.50, $F(1,66) = 8.66, p = 0.004, \eta_p^2 = 0.116$) than *Sector* teams (Mean = 9.50, SD = 13.46). Scheduling notification did not have a significant

effect on communication time ($F(2,66) = 0.01, p = 0.986, \eta_p^2 < 0.001$).

Further analyses on the correlation between communication with team performance and subjective workload revealed that communication time was moderately negatively correlated with errors ($r = -0.309, p = 0.008$). In other words, teams that communicated more tended to make fewer errors. This correlation existed even if we controlled for whether the teammates knew each other ($r = -0.280, p = 0.018$). This negative correlation between communication time and number of errors existed in *Pool* teams but not in *Sector* teams. This result, combined with the larger number of deletes in *Pool* teams, suggests that these participants engaged more in mutual performance monitoring, facilitated by communication. No significant correlation was found between communication time and number of victims found, number of deletes, number of victims missed, or subjective workload ratings.

V. DES MODEL REPLICATION

A DES model was built based on the process data and observations from the experiment to simulate team performance in these search and rescue tasks. In order to determine the model's ability to describe the observed data, we compared the DES model outputs with the experimental results. Several data sets were recorded in the experiment and used to fit probability distributions applied in the model, as shown in Table II.

Robot-generated events occurred when victims appeared in the robot camera. Although all the robots were the same type, they were started in locations with different victim density. We modeled the interarrival time of each robot individually to account for this difference. Another attribute of the robot-generated events was event identity (ID), which corresponded to different victims in the experiment. A victim already marked may appear in the camera again, which may be ignored or reprocessed to check for error. This was modeled by filtering the arrived events by their ID. Event ID was generated from a Multinomial distribution with $n=34$.

TABLE II
MODEL PARAMETERS AND DATA RECORDED DURING THE EXPERIMENT

Parameters in the Model	Distributions
	Exp: Exponential (λ), Log-N: Log-normal (μ, σ), IG: Inverse Gaussian (μ, λ)
Arrival of Robot Generated Events	
Interarrival Time of Each Robot	IG(112.76, 5.07) Exp(43.21) Exp(65.13) Exp(85.76) IG (101.55, 3.66) IG (116.56, 8.03) IG (142.08, 5.34) Exp(51.81) Exp(72.00) Exp(92.27) IG (88.20,4.38) IG (106.79,10.09) IG (109.98, 4.61) Exp(55.80) Exp(66.76) Exp(85.18) IG (90.25,8.33) Log-N(2.90, 1.99) IG(105.01, 8.76) Exp(51.33) Exp(66.99) Exp(83.89) IG(93.76, 6.45) Log-N(3.00, 1.82)
Duration	Exp(λ : 15.31)
Event ID	Multinomial (0, 0, 0.1, 0.1, 0.1, 0.2, 0.2, 0.2, 0.2, 0.3, 0.3, 0.5, 0.6, 0.7, 0.8, 1.1, 1.1, 1.3, 1.4, 1.4, 1.5, 1.8, 1.9, 2, 2.2, 2.4, 2.9, 3, 5, 6, 6, 15, 17, 22.7)
Service	
Teleoperation Time	Weibull (λ : 30.06, k: 0.87)
Probability of doing teleoperation	Bernoulli (p: 0.38)
Communication	
Interarrival time	Gamma (k: 0.23, θ : 139.74)
Duration	Exp (λ : 50.88)
Probability to communication	Pool: Bernoulli (p: 0.82); Sector: Bernoulli (p: 0.56)
Error and Correction	
Probability to make an error	Pool: Bernoulli (p: 0.5); Sector: Bernoulli (p: 0.4)
Probability to correct an error	Bernoulli (p: 0.4)




Fig. 6. Error Correction Process

Performance measures generated from the model were number of victims found, number of errors, number of deletes, and number of victims missed. In this model, the event when a victim appeared in the camera was defined as a robot generated event. These events enter the queue and were then served by operators. Events that exit the queue without being served were measured as number of victims missed. Events processed were separated as victims found or errors based on a Bernoulli distribution. An event arrived with its ID already in the error list was defined as error detected in the model. In *Sector* teams, operators corrected one's own error by a probability $P(\text{Correction}) = p$. In *Pool* teams, the common queue made it possible to detect and correct the teammate's error as well as one's own, during which communication was often required. This was modeled by an increase of $P(\text{correction})$ to $p+p'$ when communication happened during error correction. To correct an error, operators deleted a wrong mark and added a correct one, which was measured by number of deletes. The error correction process is presented in Fig. 6.

Sector teams were modeled by using two different queues, each for one operator. Operator 1 served events generated by robot 1-12, and operator 2 served events generated by robot 13-24. *Pool* teams were modeled by using a single common queue for the two operators. To model the scheduling notification, we added a time limit of 30 seconds to the service time. For *Suggested* condition, service was stopped at 30 seconds if the operator followed the system recommendation with a probability 0.7. For the *Enforced* condition, service was stopped at 30 seconds. If the service was stopped, it was possible that the service did not generate a victim found or an error, the probability of which is set to be 0.6.

We compared the team performance measures generated by the model with those collected in the experiment. One thousand trials were conducted using the DES model under each combination of team structure and scheduling notification mode. Figure 7 shows the comparison between simulation outputs and experiment results of *Sector* (Fig. 7a) and *Pool* (Fig. 7b) teams under *Off* notification condition with their standard error, and 95% confidence intervals with a modified degree of freedom [31] for the difference between simulation outputs and experiment results are included. These confidence intervals contain zero, indicating no significant differences between simulation outputs and experimental results. The comparison under *Suggested* and *Enforced* conditions showed similar results, as listed in Table III. These indicate that the model can successfully capture the essential elements of teamwork and replicate the experimental results on team performance under all team structure and notification

conditions. The match between the model and the experiment provides a foundation for further exploration using the model.



(a) Sector teams with *Off* scheduling notification(b) Pool teams with *Off* scheduling notification

Fig. 7. Comparison between model outputs and experiment results for performance in (a) Sector teams with *Off* scheduling notification, and (b) Pool teams with *Off* scheduling notification.

Communication time as an important team process measure was also compared. Communication is difficult to model. Although there is much research about communication, it is unclear when people will communicate, what they will communicate, and how that will impact the team performance. In the DES model, we simplified the communication as one special type of event. As observed in the experiment, *Sector* teams communicated less than *Pool* teams because the operators were less interdependent. Based on this observation, we modeled the baseline communication as an exogenous process with an interarrival time estimated based on communication data in the *Sector* teams collected in the experiment. In *Pool* teams, we modeled another two components of communication in addition to the baseline communication: communication during task assignment and during error correction. Communication duration was modeled with an Exponential distribution estimated from experiment data. The comparison between simulation outputs and experiments results for communication time is shown in Fig. 8, which shows the DES model replicated the experiment results of communication time.

TABLE III

COMPARISON OF MODEL AND EXPERIMENT							
	Measures	Experiment		Simulation		Confidence Interval	
		Mean	SE	Mean	SE		
Suggested Pool	Found	18.67	1.82	19.58	0.09	-3.09	4.91
	Error	8.17	1.34	7.80	0.13	-3.32	2.59
	Deletes	8.42	1.88	7.73	0.08	-4.84	3.45
	Missed	2.67	0.62	3.24	0.07	-0.81	1.94
Suggested Sector	Found	18.33	1.02	20.11	0.07	-0.47	4.02
	Error	7.00	1.27	7.04	0.13	-2.76	2.85
	Deletes	6.00	0.93	5.92	0.06	-2.13	1.97
	Missed	3.17	0.56	3.20	0.05	-1.21	1.27
Enforced Pool	Found	19.58	1.68	20.54	0.08	-2.75	4.66
	Error	6.75	1.34	7.29	0.13	-2.42	3.49
	Deletes	6.83	1.24	8.49	0.08	-1.08	4.40
	Missed	2.83	0.71	2.42	0.06	-1.96	1.15
Enforced Sector	Found	19.08	1.28	20.53	0.07	-1.38	4.28
	Error	7.33	1.50	7.01	0.14	-3.63	2.99
	Deletes	7.17	1.00	6.22	0.07	-3.15	1.25
	Missed	2.00	0.46	2.83	0.08	-0.19	1.85




Fig. 8. Comparison between model outputs and experiment results for communication time

VI. EXPLORING BACKUP BEHAVIOR USING THE DES MODEL

With confidence in the DES model after the comparison, we simulated three scenarios using the DES model to further investigate backup behavior: the uncertainty in task load, the difference in individual capability and the level of individual effort. We wanted to observe whether the team members could back up each other and adapt to the uncertainty by providing assistance when needed. We analyzed the shift of workload in *Pool* and *Sector* teams under these scenarios.

A. Uncertainty in Task Load

Uncertainty in task load is an important factor that affects the balance of workload within the team. In the real world, tasks are rarely evenly assigned to team members. In the search and rescue scenario, operators do not know where victims are beforehand in order to make a plan for the search. As a result, teams have to adapt during the execution of tasks.

In the original DES model, half of all the victims would appear in the camera of robot 1-12, and the other half in the camera of robot 13-24. To bring more uncertainty to the task load, m victims appeared in the camera of robot 1-12 where m is generated from a Uniform distribution, and the remaining

victims appeared in the camera of robot 13-24. One thousand simulation trials were run.

The percentage of events processed by operator 1, and the ratio of busy time of operators were compared in *Pool* and *Sector* teams (Fig. 9.). The ratio was calculated as the measure on operator 1 divided by the sum of two operators. A ratio close to either zero or one indicates the overload of an operator. As shown in Fig. 9, the percentage of events processed by the two operators is scattered in *Pool* teams. In *Sector* teams, the percentage increased as the number of victims appeared in robot 1-12 increased. The ratio of busy time showed a similar pattern with a larger deviation.

The simulation results can be interpreted from two aspects. First, since operators share the control of all robots, it does not matter whether one group of robots found more victims. Backup behavior can be easily performed to balance the workload. In other words, *Pool* teams show adaptability with the uncertainty in task load. On the contrary, in *Sector* teams, an operator experiences more workload if the robots find more victims. His or her teammate cannot offer much help even if idle.

Second, *Pool* teams have a larger standard deviation for the ratio of events processed and ratio of busy time comparing to *Sector* teams. *Sector* teams could have an advantage in maintaining a reasonable workload balance when the task load has little variability. However, when there is large uncertainty in task load, *Pool* teams have an advantage because of the adaptability enabled by backup behaviors.




Fig. 9. Impact of Task Load Uncertainty

B. Difference in Individual Capability

Difference in individual capability was simulated by varying the service time of operators. The distribution for operator 1 was unchanged. The service time of operator 2, originally the same for both, was increased from two to six times of the original. The percentage of change on the number of victims found, percentage of change on the number of victims missed, the ratio of events processed by operators, and the ratio of operator busy time were compared. These ratios were calculated as the measure of operator 2 divided by operator 1. The busy time refers to the total service time. Although operators were sometimes actively searching instead of just

monitoring during their idle time, this free searching time is not included in the model output. We assumed that the two operators put similar effort into free searching. Results generated from the model are shown in Fig 10.




Fig. 10. Impact of Individual Difference


From the results we can see *Sector* (Fig. 10a) teams and *Pool* (Fig. 10b) teams react differently. In *Sector* teams, the busy time of operator 2 increased rapidly to around three times of operator 1, while the number of events processed by operator 2 was a little bit less than that of operator 1 with the increase of service time. This means operator 2 had to work longer because of the slow service and the lack of help from operator 1.

In *Pool* teams, because the two operators shared the control of all robots, it was easier to shift the workload within the team. This was confirmed by the DES model outputs. In *Pool* teams, the busy time of operator 2 increased only to around 1.5 times of operator 1, while the number of events processed by operator 2 was much less than that of operator 1 due to the increase of service time. This suggested a shift of workload in *Pool* teams when one operator was overloaded due to his/her individual capability. The shift of workload also had an impact on team performance. The percentage of change on the number of victims found was small in both types of teams. However, *Pool* teams had a slower increase on the number of victims missed comparing to *Sector* teams. *Pool* teams had an advantage through backup behaviors, which could shift the workload within the team when one operator was slower.


C. Individual Level of Effort

Although *Pool* teams have an advantage through backup behaviors, they may be affected when some individuals in the team expend less effort when working collectively. In addition to idle and busy states, we simulated individual level of effort by adding a lazy state for operator 2, during which he or she was neither working on tasks nor responding to tasks in the queue. If the operator is idle, he or she enters the lazy state

with probability $P(lazy)$. The lazy state lasts for five seconds. Fig. 11a shows the impact on the average percentage of events processed by operator 1 in *Pool* teams when $P(lazy)$ of operator 2 changes from 0.2 to 0.6. As $P(lazy)$ increases, the curve of operator 1 is shifted upwards. In other words, operator 1 processes more events on average if operator 2 is lazy.



(a) Simulated results



(b) Concept illustration

Fig. 11. Impact of Reduced Individual Level of Effort

With reduced individual level of effort, the degree to which *Pool* teams are better than *Sector* teams in terms of balancing workload depends on how the tasks arrive. Fig. 11b is a simplification of Fig. 11a to illustrate the concept. We represent average percentage of events processed by operator 1 in *Pool* teams as r_p , and in *Sector* teams as r_s . In the shadowed area of Fig. 11b, $\max(r_p, 1 - r_p) > \max(r_s, 1 - r_s)$, which means workload is more evenly distributed in *Sector* teams. Beyond this range, $\max(r_p, 1 - r_p) < \max(r_s, 1 - r_s)$, which means workload is better balanced in *Pool* teams. Based on this, we can conclude that *Sector* teams are better when the tasks arrive to the two operators evenly, especially when there is reduced individual level of effort in *Pool* teams. However, *Pool* teams deal with extreme difference in task load better than *Sector* teams, even with reduced individual level of effort.

VII. DISCUSSION AND CONCLUSION

In the experiment, participants' mean ratings indicated lower workload with the *Pool* structure as compared to the *Sector* structure, even though task performance was similar across the two types of team structure. *Pool* teams also communicated more and balanced workload among team members. These conclusions were supported by the lower maximum workload and larger difference on individual performance in *Pool* teams. This suggests the reduced subjective workload in the *Pool* condition occurred because teammates could provide backup if needed. In addition, the shared control of robots promoted communication in teams under the *Pool* structure, which was also good for task performance since teams with more communication tend to make fewer errors. The reason may be that they corrected each other via communication, which led to fewer errors.

A DES model based on queuing theory was constructed to simulate the teamwork in supervisory control of multiple robots. The outputs from the model replicated the experiment results on team performance measures. Backup behavior was investigated by varying the uncertainty in task load, the individual capability and the individual level of effort. In all scenarios, *Pool* teams show an advantage on balancing workload through backup behaviors. Although *Pool* teams have an advantage on balancing workload as suggested by both the experiment and the DES model, we must consider other factors, like team strategies and coordination cost when deciding which team structure to use. *Pool* teams gain the advantage of balancing workload with the cost of increased coordination on task assignment. In our simulation, we found that the advantage of backup behaviors is meaningful only when the task load is unevenly distributed. This conclusion based on simulation results is consistent with several empirical research on backup behaviors [8, 32]. If the task load is evenly distributed with low uncertainty, backup behaviors are not necessary.

Team members also employed certain team strategies to cope with the increased coordination cost. In the experiment, we observed that some operators in *Pool* teams would preplan on which robots to control via verbal communication, even if the plan changed during the task execution. For example, some divided the robots by robot ID, and some divided by robot location. Other operators reported the robot ID to their teammates whenever they started on a new robot. These team strategies reduced the effort for team coordination while still leaving a possibility for balancing workload. However, as the team size increases, we would expect an increase on the cost and difficulty of coordination. In addition, reduced individual level of effort is easier in *Pool* teams than in *Sector* teams. With reduced individual level of effort, the advantage of *Pool* teams is diminished. To better reflect the tradeoffs of these factors, these factors will be modeled in future research to support the design of teams.

The DES model can be used as a useful and efficient tool to assess the impact of change on performance and share of workload under different team structures. In this study, a dyadic team was modeled. In the future, we would like to investigate whether this model structure can be extended for teams of three or more members.

ACKNOWLEDGMENT

We would like to acknowledge MIT undergraduates Matthew R Redmond and Radhka Malik for their programming contributions, as well as Hosea Siu and Victoria Palay for their help with conducting the experiment. Thanks to Professor Mike Lewis and his students at University of Pittsburg for providing the testbed.

REFERENCES

- [1] D. L. Gladstein, "Groups in Context: A Model of Task Group Effectiveness," *Administrative Science Quarterly*, vol. 29, pp. 499-517, 1984.
- [2] C. O. Porter, J. R. Hollenbeck, D. R. Ilgen, A. P. J. Ellis, B. J. West, and H. Moon, "Backing Up Behaviors in Teams: The Role of Personality and Legitimacy of Need," *Journal of Applied Psychology*, vol. 88, pp. 391-403, 2003.
- [3] E. Salas, D. E. Sims, and C. S. Burke, "Is there a Big Five in Teamwork?," *Small Group Research*, vol. 36, pp. 555-599, October 1, 2005.
- [4] B. Mekdeci and M. Cummings, "Modeling Multiple Human Operators in the Supervisory Control of Heterogeneous Unmanned Vehicles," in *PerMIS'09*, Gaithersburg, MD, USA., 2009.
- [5] C. E. Nehme, "Modeling Human Supervisory Control in Heterogeneous Unmanned Vehicle Systems," PhD, Aeronautics & Astronautics, Massachusetts Institute of Technology, Cambridge, 2009.
- [6] C. E. Nehme, J. W. Crandall, and M. L. Cummings, "Using Discrete-Event Simulation to Model Situational Awareness of Unmanned-Vehicle Operators," in *ODU/VMASC Capstone Conference*, 2008.
- [7] E. Salas, T. L. Dickinson, S. A. Converse, and S. I. Tannenbaum, "Toward an understanding of team performance and training," in *Teams: Their training and performance*, R. W. Swezey and E. Salas, Eds., ed Westport, CT, US: Ablex Publishing, 1992, pp. 3-29.
- [8] C. M. Barnes, J. R. Hollenbeck, D. T. Wagner, D. S. DeRue, J. D. Nahrgang, and K. M. Schwind, "Harmful Help: The Costs of Backing-Up Behavior in Teams," *Journal of Applied Psychology*, vol. 93, pp. 529-539, 2008.
- [9] K. A. Wilson, E. Salas, H. A. Priest, and D. Andrews, "Errors in the heat of battle: Taking a closer look at shared cognition breakdowns through teamwork," *Human Factors: The Journal of the Human Factors and Ergonomics Society*, vol. 49, pp. 243-256, 2007.
- [10] M. Lewis, H. Wang, and S. Y. Chien, "Process and Performance in Human-Robot Teams," *Journal of Cognitive Engineering and Decision Making*, vol. 5, pp. 186-208, 2011.
- [11] J. C. Naylor and T. L. Dickinson, "Task Structure, Work Structure, and Team Performance," *Journal of Applied Psychology*, vol. 53, p. 10, 1969.
- [12] J. Macmillan, E. E. Entin, and D. Serfaty, "Communication Overhead: The Hidden Cost of Team Cognition," in *Team Cognition: Understanding the Factors That Drive Process and Performance*, E. Salas and S. M. Fiore, Eds., ed: American Psychological Association (APA), 2004.
- [13] M. Lewis, J. Polvichai, K. Sycara, and P. Scerri, "Scaling-up Human Control for Large UAV Teams," in *The Human Factors of Remotely Piloted Vehicles*, N. Cooke, Ed., ed New York: Elsevier, 2006, pp. 237-250.
- [14] S. F. Bolin, R. Sadacca, and H. Martinek, *Team procedures in image interpretation*. Washington, D.C.: U.S. Army Personnel Research Office, 1965.
- [15] G. W. Doten, J. T. Cockrell, and R. Sadacca, *The use of teams in image interpretation : information exchange, confidence, and resolving disagreements*. Washington, D.C.: U.S. Army Personnel Research Office, 1966.
- [16] R. Y. Hirokawa, "The Role of Communication in Group Decision-Making Efficacy," *Small Group Research*, vol. 21, pp. 190-204, May 1, 1990.
- [17] R. L. Oser, C. Prince, B. B. Morgan Jr, and S. S. Simpson, "An analysis of aircrew communication patterns and content," DTIC Document, 1991.
- [18] C. A. Bowers, R. L. Oser, E. Salas, and J. A. Cannon-Bowers, "Team Performance in Automated Systems," in *Automation and Human*

- Performance: Theory and Applications*, R. Parasuraman and M. Mouloua, Eds., ed New Jersey: Lawrence Erlbaum Associates, 1996, pp. 243-266.
- [19] R. McKendrick, T. Shaw, E. de Visser, H. Saqer, B. Kidwell, and R. Parasuraman, "Team Performance in Networked Supervisory Control of Unmanned Air Vehicles Effects of Automation, Working Memory, and Communication Content," *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 2013.
- [20] D. R. Smith and W. Whitt, "Resource sharing for efficiency in traffic systems," *Bell System Technical Journal*, vol. 60, pp. 39-55, 1981.
- [21] N. M. Dijk and E. Sluis, "To pool or not to pool in call centers," *Production and Operations Management*, vol. 17, pp. 296-305, 2008.
- [22] K. Psounis, P. Molinero-Fernández, B. Prabhakar, and F. Papadopoulos, "Systems with multiple servers under heavy-tailed workloads," *Performance Evaluation*, vol. 62, pp. 456-474, 2005.
- [23] M. H. Rothkopf and P. Rech, "Perspectives on Queues: Combining Queues is Not Always Beneficial," *Operations Research*, vol. 35, pp. 906-909, 1987.
- [24] J. D. Thompson, *Organizations in action : Social science bases of administrative theory*. New York: McGraw-Hill, 1967.
- [25] L. F. Bertuccelli, N. Pellegrino, and M. L. Cummings, "Choice Modeling of Relook Tasks for UAV Search Missions," in *American Control Conference (ACC)*, 2010, pp. 2410-2415.
- [26] M. Lewis, H. Wang, S. Y. Chien, P. Velagapudi, P. Scerri, and K. Sycara, "Choosing Autonomy Modes for Multirobot Search," *Human Factors: The Journal of the Human Factors and Ergonomics Society*, vol. 52, pp. 225-233, April 1, 2010.
- [27] M. Lewis, J. Wang, and S. Hughes, "USARSim: Simulation for the Study of Human-Robot Interaction," *Journal of Cognitive Engineering and Decision Making*, vol. 1, pp. 98-120, March 20, 2007.
- [28] A. Farinelli, P. Scerri, and M. Tambe, "Building Large-scale Robot Systems: Distributed Role Assignment in Dynamic, Uncertain Domains," in *AAMAS'03 Workshop on Resources, Role and Task Allocation in Multiagent Systems*, 2003.
- [29] S. G. Hart and L. E. Staveland, "Development of NASA-TLX (Task Load Index): Results of empirical and theoretical research," in *Human Mental Workload*, P. A. Hancock and N. Meshkati, Eds., ed Amsterdam: North Holland Press, 1998.
- [30] F. Gao, M. Cummings, and L. F. Bertuccelli, "Teamwork in Controlling Multiple Robots," in *7th ACM/IEEE International Conference on Human-Robot Interaction*, Boston, Massachusetts, USA., 2012.
- [31] A. Law and D. Kelton, *Simulation Modeling and Analysis*, McGraw-Hill Higher Education, 2000.
- [32] C. O. Porter, C. I. Gogus, and R. C.-F. Yu, "When does teamwork translate into improved team performance? A resource allocation perspective," *Small Group Research*, vol. 41, pp. 221-248, 2010.